



Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

SECTION 1. IDENTIFICATION

Product name : Hurri-Freeze

Product Number : 0283-1806-44, 0283-1807-44, 0283-1808-44, 0283-1809-44,

Product Use Description : Topical Anesthetic

Manufacturer or supplier's details : Nuance Medical, LLC
5931 Sea Lion Place, Suite 113
Carlsbad, CA 92010

For more information call : 760-585-9548
(Monday-Friday, 9:00am-5:00pm PST)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : Liquefied gas

Color : colourless

Odor : slight ether-like

Classification of the substance or mixture

Classification of the substance or mixture : Gases under pressure, Liquefied gas
Simple Asphyxiant

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

GHS Label elements, including precautionary statements

Symbol(s)

:



Signal word

: Warning

Hazard statements

: (H280) Contains gas under pressure; may explode if heated.
May displace oxygen and cause rapid suffocation.

Precautionary statements

: **Prevention:**
Use personal protective equipment as required.

Storage:

(P410) Protect from sunlight.

(P403) Store in a well-ventilated place.

Hazards not otherwise
classified: Excessive exposure may cause central nervous system effects
including drowsiness and dizziness.
Cardiac NOEL 119, 826ppm Rapid
evaporation may cause frostbite.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Mixture

trans-1-Chloro-3,3,3-trifluoropropene

102687-65-0

60 – 80 %

trans-1,3,3,3-Tetrafluoroprop-1-ene

29118-24-9

20 – 40 %

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

SECTION 4. FIRST AID MEASURES

- Inhalation : Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Use oxygen as required, provided a qualified operator is present. Call a physician.
- Skin contact : Rapid evaporation of the liquid may cause frostbite. If there is evidence of frostbite, bathe (do not rub) with lukewarm (not hot) water. If water is not available, cover with a clean, soft cloth or similar covering. Call a physician if irritation develops or persists.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In case of frostbite water should be lukewarm, not hot. If symptoms persist, call a physician.
- Ingestion : Unlikely route of exposure. As this product is a gas, refer to the inhalation section. Do not induce vomiting without medical advice. Call a physician immediately.

Notes to physician

- Indication of immediate medical attention and special treatment needed, if necessary : Treat frost-bitten areas as needed.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water mist
Dry powder
Foam
Carbon dioxide (CO2)
- Specific hazards during firefighting : Contents under pressure.
Heating will cause pressure rise with risk of bursting
Cool closed containers exposed to fire with water spray.
Product is not combustible under normal conditions.
However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources.
Do not allow run-off from fire fighting to enter drains or water courses.

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.
 Some risk may be expected of corrosive and toxic decomposition products.
 In case of fire hazardous decomposition products may be produced such as:
 Carbon monoxide
 Carbon dioxide (CO₂)
 Carbonyl halides
 Hydrogen fluoride
 Gaseous hydrogen chloride (HCl).

Special protective equipment for firefighters : In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. No unprotected exposed skin areas. Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Wear personal protective equipment. Unprotected persons must be kept away. Remove all sources of ignition. Avoid skin contact with leaking liquid (danger of frostbite). Ventilate the area. After release, disperses into the air. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Avoid accumulation of vapours in low areas. Unprotected personnel should not return until air has been tested and determined safe.

Environmental precautions : Prevent further leakage or spillage if safe to do so. The product evaporates readily. Prevent spreading over a wide area (e.g. by containment or oil barriers).

Methods and materials for containment and cleaning up : Do not direct water spray at the point of leakage. Allow to evaporate.

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Handle with care.
 Avoid inhalation of vapour or mist.
 Do not get in eyes, on skin, or on clothing.
 Wear personal protective equipment.
 Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C.
 Follow all standard safety precautions for handling and use of compressed gas cylinders.
 Use authorized cylinders only.
 Protect cylinders from physical damage.
 Do not puncture or drop cylinders, expose them to open flame or excessive heat.
 Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.
 Do not remove screw cap until immediately ready for use.
 Always replace cap after use.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
 Keep away from direct sunlight.
 Fire or intense heat may cause violent rupture of packages.
 Vapours may form explosive mixtures with air.
 The product is not easily combustible.

Storage

Conditions for safe storage, including any incompatibilities : Keep containers tightly closed in a cool, well-ventilated place.
 Keep away from direct sunlight.
 Protect cylinders from physical damage.
 Store away from incompatible substances.

Further information on storage conditions : Keep only in the original container at temperature not exceeding 50°C

Advice on common storage : Do not store together with:
 Oxidizing agents

SAFETY DATA SHEET



Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Protective measures : Do not breathe vapour.
Avoid contact with skin, eyes and clothing.
Ensure that eyewash stations and safety showers are close to the workstation location.
- Engineering measures : Local exhaust
- Eye protection : Goggles
- Hand protection : Protective gloves
- Skin and body protection : Impervious clothing
Wear cold insulating gloves/ face shield/ eye protection.
- Respiratory protection : In case of insufficient ventilation wear suitable respiratory equipment.
Wear a positive-pressure supplied-air respirator.
- Hygiene measures : Avoid breathing vapours, mist or gas.
Keep working clothes separately.
Do not smoke.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
trans-1-Chloro-3,3,3-Trifluoropropene	102687-65-0	TWA : Time weighted average	(800 ppm)	2014	WEEL:US. OARS. WEELs Workplace Environmental Exposure Level Guide
trans-1-Chloro-3,3,3-Trifluoropropene	102687-65-0	TWA : Time weighted average	(800 ppm)	2013	Honeywell:Limit established by Honeywell International Inc.
trans-1,3,3,3-Tetrafluoroprop-1-ene	29118-24-9	TWA : Time weighted average	(800 ppm)	2012	WEEL:US. OARS. WEELs Workplace Environmental Exposure Level Guide
trans-1,3,3,3-Tetrafluoroprop-1-ene	29118-24-9	TWA : Time weighted average	(800 ppm)	2011	Honeywell:Limit established by Honeywell International Inc.

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: Liquefied gas
Color	: colourless
Odor	: slight ether-like
Boiling point/boiling range	: -5.5 - 13.3 °C
Flash point	: Note: does not flash
Lower explosion limit	: Note: Not applicable
Upper explosion limit	: Note: Not applicable
Vapor pressure	: 1,310 - 2,620 hPa at 21.1 °C(70.0 °F) 3,792 - 6,688 hPa at 54.4 °C(129.9 °F)
Vapor density	: Note: not determined
Density	: Note: not determined
Water solubility	: Note: not determined
Ignition Temperature	: Note: no data available
Decomposition temperature	: Note: Hazardous decomposition products formed under fire conditions. To avoid thermal decomposition, do not overheat.

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Hazardous polymerization does not occur.
Conditions to avoid	: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Can form a combustible mixture with air at pressures above atmospheric pressure. Do not mix with oxygen or air above atmospheric pressure.
Incompatible materials	: Reactions with alkali metals.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon monoxide Carbon dioxide (CO ₂) Carbonyl halides Hydrogen fluoride Gaseous hydrogen chloride (HCl).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute inhalation toxicity trans-1-Chloro-3,3,3-trifluoropropene	: LC50: 120000 ppm Exposure time: 4 h Species: Rat
trans-1,3,3,3-Tetrafluoroprop-1-ene	: 100000 ppm Species: Mouse Note: Acute (4-Hour) Inhalation Toxicity Screening Study (mouse): No lethality at >100,000 ppm. LC50: > 207000 ppm Exposure time: 4 h Species: Rat Skin irritation

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

trans-1-Chloro-3,3,3-trifluoropropene : Species: Rabbit
Result: No skin irritation
Classification: Not classified as a skin irritant in animal testing.
Method: OECD Test Guideline 404
Exposure time: 4 h

trans-1,3,3,3-Tetrafluoroprop-1-ene : Species: Rabbit
Result: No skin irritation
Method: OECD Test Guideline 404

Sensitisation
trans-1-Chloro-3,3,3-trifluoropropene : Cardiac sensitization
Species: dogs
Note: Cardiac sensitisation threshold (dog): 25000 ppm.

Result: Does not cause skin sensitisation.
Classification: Patch test on human volunteers did not demonstrate sensitisation properties.

trans-1,3,3,3-Tetrafluoroprop-1-ene : Cardiac sensitization
Species: dogs
Note: Did not cause sensitisation on laboratory animals.

Repeated dose toxicity
trans-1-Chloro-3,3,3-trifluoropropene : Species: Rat
Application Route: Inhalation
Exposure time: (4 Weeks)
NOEL: 4500 ppm
Subacute toxicity

trans-1,3,3,3-Tetrafluoroprop-1-ene : Species: Rat
Application Route: Inhalation
Exposure time: (13 Weeks)
NOEL: 5000 ppm

Species: Dog
Application Route: Inhalation
Exposure time: Nine-months
Note: NOEL 14,700 ppm

Species: Mice
Application Route: Inhalation
Exposure time: 13 weeks
Note: NOEL 50,700 ppm

trans-1-Chloro-3,3,3-trifluoropropene : Test Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

- trans-1,3,3,3-Tetrafluoroprop-1-ene : Test Method: Chromosome aberration test in vitro
Cell type: Human lymphocytes
Result: negative
- : Test Method: Ames test
Result: negative
- Genotoxicity in vivo
trans-1-Chloro-3,3,3-trifluoropropene : Species: Rat
Cell type: Bone marrow
Method: Mutagenicity (micronucleus test)
Result: negative
- : Test Method: Unscheduled DNA synthesis
Species: Rat
Result: negative
- : Species: Mouse
Cell type: Bone marrow
Method: Mutagenicity (micronucleus test)
Result: negative
- trans-1,3,3,3-Tetrafluoroprop-1-ene : Test Method: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Mouse
Cell type: Micronucleus
Application Route: Inhalation
Result: negative
- Reproductive toxicity
trans-1-Chloro-3,3,3-trifluoropropene : Species: Rabbit
Note: No-observed-effect level - 15,000 ppm
- Species: Rat
Note: No-observed-effect level - 10,000 ppm
- Teratogenicity
trans-1-Chloro-3,3,3-trifluoropropene : Species: Rabbit
Note: No-observed-effect level - 15,000 ppm
- Species: Rat
Note: No-observed-effect level - 10,000 ppm

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

trans-1,3,3,3-
Tetrafluoroprop-1-eneSpecies: Rabbit
: Method: Prenatal Developmental Inhalation Toxicity Study
Note: Did not show teratogenic effects in animal experiments.Species: Rat
Method: Prenatal Developmental Inhalation Toxicity Study
Note: Did not show teratogenic effects in animal experiments.**SECTION 12. ECOLOGICAL INFORMATION**

Toxicity to fish

trans-1-Chloro-3,3,3-
trifluoropropene: LC50: 38 mg/l
Exposure time: 96 h
Species: *Oncorhynchus mykiss* (rainbow trout)
Method: OECD Test Guideline 203trans-1,3,3,3-
Tetrafluoroprop-1-ene: NOEC: > 117 mg/l
Exposure time: 96 h
Species: *Cyprinus carpio* (Carp)

Toxicity to daphnia and other aquatic invertebrates

trans-1-Chloro-3,3,3-
trifluoropropene: Immobilization
EC50: 82 mg/l
Exposure time: 48 h
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 202trans-1,3,3,3-
Tetrafluoroprop-1-ene: EC50: > 160 mg/l
Exposure time: 48 h
Species: *Daphnia magna* (Water flea)

Toxicity to algae

trans-1-Chloro-3,3,3-
trifluoropropene: Growth inhibition
EC50: 106.7 mg/l
Exposure time: 72 h
Species: *Pseudokirchneriella subcapitata* (green algae)
Method: OECD Test Guideline 201Growth rate
NOEC: 115 mg/l
Exposure time: 72 h

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

Species: Pseudokirchneriella subcapitata (green algae)
Method: OECD Test Guideline 201

trans-1,3,3,3-Tetrafluoroprop-1-ene : Growth inhibition
NOEC: > 170 mg/l
Exposure time: 72 h
Species: Algae

Biodegradability
trans-1-Chloro-3,3,3-trifluoropropene : Result: Not readily biodegradable.
Value: 0 %
Method: OECD 301 D

trans-1,3,3,3-Tetrafluoroprop-1-ene : aerobic
Result: Not readily biodegradable.

Further information on ecology

Results of PBT assessment:

This substance is not considered to be very persistent and very bioaccumulating (vPvB).
This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 3163
Proper shipping name : LIQUEFIED GAS, N.O.S.
(trans-1,3,3,3-Tetrafluoroprop-1-ene, Trans-1-Chloro-3,3,3-trifluoropropene)
Class : 2.2
Packing group :
Hazard Labels : 2.2

IATA UN/ID No. : UN 3163
Description of the goods : LIQUEFIED GAS, N.O.S.
(trans-1,3,3,3-Tetrafluoroprop-1-ene, Trans-1-Chloro-3,3,3-trifluoropropene)
Class : 2.2
Hazard Labels : 2.2
Packing instruction (cargo aircraft) : 200

Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

	Packing instruction (passenger aircraft)	: 200
IMDG	UN/ID No.	: UN 3163
	Description of the goods	: LIQUEFIED GAS, N.O.S. (TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE, TRANS-1-CHLORO-3,3,3- TRIFLUOROPROPENE)
	Class	: 2.2
	Hazard Labels	: 2.2
	EmS Number	: F-C, S-V
	Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances Control Act	: On TSCA Inventory
Australia. Industrial Chemical (Notification and Assessment) Act	: Not in compliance with the inventory
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	: All components of this product are on the Canadian DSL
Japan. Kashin-Hou Law List	: On the inventory, or in compliance with the inventory
Korea. Existing Chemicals Inventory (KECI)	: On the inventory, or in compliance with the inventory
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	: Not in compliance with the inventory
China. Inventory of Existing Chemical Substances	: On the inventory, or in compliance with the inventory
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New	: Not in compliance with the inventory



Hurri-Freeze

Version 3.0

Revision Date 02/11/2026

Print Date 02/11/2026

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 1	2
Flammability	: 0	1
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: Version 2 – 07/25/2025

Prepared by Nuance Medical, LLC